SB002 150X150X125 **Grade A** BS 5834-2

MultiGrip[™] Ductile Iron Surface Box ecclesutilities®






Capable of being used in carriageways and other areas carring fast moving, normal commercial vehicles with wheel loads up to 5 tonnes and slow moving, specially authorised vehicles with wheel up to 11.5 tonnes.


OPTIONAL EXTRAS:


Badged



Product Code	Clear Opening	Base Size	Depth
SB002	150mm x 150mm	234mm x 234mm	125mm

FEATURES:







Ratio - Ductile iron for improved weight





Strong & Durable - Spheroidal graphite cast iron according to EN 1563 2018, as per the requirements of BS EN124-2:2015.







SB002 150X150X125 **Grade A** BS 5834-2

MultiGrip[™] Ductile Iron Surface Box ecclesutilities®





Capable of being used in carriageways and other areas carring fast moving, normal commercial vehicles with wheel loads up to 5 tonnes and slow moving, specially authorised vehicles with wheel up to 11.5 tonnes.

DATA

Dimensions

A/ Base Size: 234mm x 234mm

B/ Clear Opening: 150mmx150mm

C/ Depth: 125mm

Materials

Ductile Iron

Finish

Black Coated

Certification

BSI Kitemark

Standard


BS 5834-2


Product Type

Ductile Iron Surface Box

SmartGrip[®]

Disclaimer: Eccles (UK Foundries FE) Ltd are continually seeking to improve our products and we therefore reserve the right to alter product specifications without prior notice. It is the responsibilitry of all users to ensure that the above product data is current. Installation details are available on request. It is always recommended that the use of road plates be used where access covers, gully grates and frames are exposed to construction and site traffic during the construction phase of any project and in accordance with "Annex F" EN124_1:2015










DIAGRAM KEY: A BASE SIZE

- B CLEAR OPENING
- C FRAME DEPTH

